

**Series 2, wall-mounted cooker hood,
90 cm, Stainless steel
DWB94BC51B**



**Box-design hood: performance and
matching kitchen design bundled in one
hood.**

- **Silent:** maximal extractor performance with little noise
- **Grease filtration level:** filters out over 85% of the grease from kitchen air
- **LED-Illumination:** The energy-saving lighting provides white and good lighting for the hob area.
- With exhaust, the air is cleaned by a grease filter and then ducted to the outside which ensures optimal kitchen air quality.
- 3-Speed Power Level Options To Suit Your Cooking Style And Recipes

Technical Data

Typology : Wall-mounted
 Approval certificates : CE, VDE
 Length electrical supply cord : 130 cm
 Height of the chimney : 583-912/583-1022 mm
 Height of product, without chimney : 53 mm
 Net weight : 12.9 kg
 Type of control : mechanical
 Number of speed settings : 3
 Maximum output air extraction : 365 m³/h
 Maximum output recirculating air : 240 m³/h
 Number of lights : 2
 Noise level : 64 dB(A) re 1 pW
 Diameter of air outlet : 120 / 150 mm
 Grease filter material : Washable stainless steel
 Odour filter : No
 Operating Mode : Convertible
 Optional accessories : DWZ1DX1I4, DWZ1DX1I6, DWZ1FX5D1, DZZ0XX0P0, DZZ1XX1B6, DHZ9550, DWZ0DX0U0, DWZ0XX0J0, DWZ1DX1B4, DHZ1225, DHZ1235, DHZ9551, DWZ0DX0A0, DWZ1FX5C6
 Type of lamps used : LED
 Grease filter type : Kasette
 Connection Rating : 100 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 50; 60 Hz
 Plug type : GB plug
 Installation typology : Wall-mounted
 Material body : Stainless steel
 Approval certificates : CE, VDE
 Plug type : GB plug
 Dimensions of the product, with chimney (if exists) (in) : / x x
 Dimensions of the packed product : 19.29 x 25.59 x 40.55
 Net weight : 28.000 lbs
 Gross weight : 40.000 lbs
 Motor location : Integrated motor in hood chimney
 No-return airflow flap : No
 Length electrical supply cord : 130 cm
 Dimensions of the product, with chimney (if exists) : 635-1075 MM x 900.0 x 500.0 mm
 Dimensions of the packed product (HxWxD) : 490 x 650 x 1030 mm
 Net weight : 12.9 kg
 Gross weight : 18.2 kg



4 242005 052998

Series 2, wall-mounted cooker hood, 90 cm, Stainless steel DWB94BC51B

Box-design hood: performance and matching kitchen design bundled in one hood.

- DWB94BC51B
- Chimney hood, 90 cm
- Box common design - stainless steel

Variant:

Design:

- Chimney hood
- Wall mounted hood
- Appliance colour: stainless steel
- 90 cm Chimney hood
- 900 mm width

Comfort:

- Suitable for ducted or re-circulated extraction
- For recirculated extraction or CleanAir recirculation kit (accessory) needed
- push buttons for extractor speeds and light
- 3 speeds via push buttons
- 3 speeds
- Twin channel high performance fan motor
- Metal grease filter, dishwasher safe

Power:

- Power rating: 100 W

Environment and safety:

- Energy Efficiency Class: D*
- Average Energy Consumption: 53.1 kWh/year*
- Blower Efficiency Class: E*
- Lighting Efficiency Class: A*
- Grease Filtering Efficiency Class: B*

- Ducted extraction rate according to DIN/EN 61591 max. 365 m³/h
- Max. extraction rate: 365 m³/h
- Maximum extraction rate exhaust air 365 m³/h according to EN 61591
- Extraction rate in recirculation mode:
Max. normal use: 196 m³/h
- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 64 dB(A) re 1 pW (51 dB(A) re 20 µPa sound pressure)
- Noise level in recirculation mode:
Max. normal use: 66 dB(A) re 1 pW (53 dB(A) re 20 µPa sound pressure)
- Noise min./max. Normal Level: 49/64 dB*
- 2 x 1,5W LED
- Light Intensity: 91 lux
- Colour Temperature: 3500 K

Measures:

- Dimensions exhaust air (HxWxD): 635-965 x 900 x 500 mm
- Dimensions recirculating (HxWxD): 635-1075 x 900 x 500 mm
- Dimensions recirculating with CleanAir module (HxWxD):
703 x 900 x 500mm - mounting with outer chimney
833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Dimensions recirculating with cleanAir module (HxWxD):
703 x 900 x 500mm - mounting with outer chimney
833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Dimensions recirculating with CleanAir module (HxWxD):
703 x 900 x 500mm - mounting with outer chimney
833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Electrical cable length 1.3 m

* In accordance with the EU-Regulation No 65/2014

Series 2, wall-mounted cooker hood, 90 cm, Stainless steel DWB94BC51B

